

Push-in Fittings Quick Type for Pneumatic Tubing

PH-(G) Single Banjo

Model (ΦD-T)			
Tube Dia(mm) - Thread Size (R)/(G)		Tube Dia(inch) - Thread Size (NPT)	
PH04-M5	PH08-03 (G)	PH5/32-N01	PH5/16-N04
PH04-01 (G)	PH08-04 (G)	PH3/16-N01	PH3/8-N01
PH04-02 (G)	PH10-01 (G)	PH3/16-N02	PH3/8-N02
PH06-M5	PH10-02 (G)	PH1/4-N01	PH3/8-N03
PH06-01 (G)	PH10-03 (G)	PH1/4-N02	PH3/8-N04
PH06-02 (G)	PH10-04 (G)	PH1/4-N03	PH1/2-N02
PH06-03 (G)	PH12-02 (G)	PH5/16-N01	PH1/2-N03
PH08-01 (G)	PH12-03 (G)	PH5/16-N02	PH1/2-N04
PH08-02 (G)	PH12-04 (G)	PH5/16-N03	

PHF-(G) Link-up Banjo

Model (ΦD-T)			
Tube Dia(mm) - Thread Size (R)/(G)		Tube Dia(inch) - Thread Size (NPT)	
PHF04-M5	PHF08-03 (G)	PHF5/32-N01	PHF3/8-N02
PHF04-01 (G)	PHF08-04 (G)	PHF3/16-N01	PHF3/8-N03
PHF04-02 (G)	PHF10-02 (G)	PHF3/16-N02	PHF3/8-N04
PHF06-M5	PHF10-03 (G)	PHF1/4-N01	PHF1/2-N02
PHF06-01 (G)	PHF10-04 (G)	PHF1/4-N02	PHF1/2-N03
PHF06-02 (G)	PHF12-02 (G)	PHF5/16-N01	PHF1/2-N04
PHF06-03 (G)	PHF12-03 (G)	PHF5/16-N02	
PHF08-01 (G)	PHF12-04 (G)	PHF5/16-N03	
PHF08-02 (G)		PHF5/16-N04	

PHT(2)-(G) Double Link-up Banjo

Model (ΦD-T)	
Tube Dia(mm) - Thread Size (R)/(G)	
PHT04-01 (2) (G)	PHT08-04 (2) (G)
PHT04-02 (2) (G)	PHT10-01 (2) (G)
PHT06-01 (2) (G)	PHT10-02 (2) (G)
PHT06-02 (2) (G)	PHT10-03 (2) (G)
PHT06-03 (2) (G)	PHT10-04 (2) (G)
PHT08-01 (2) (G)	PHT12-02 (2) (G)
PHT08-02 (2) (G)	PHT12-03 (2) (G)
PHT08-03 (2) (G)	PHT12-04 (2) (G)

PHT(3)-(G) Triple Link-up Banjo

Model (ΦD-T)	
Tube Dia(mm) - Thread Size (R)/(G)	
PHT04-01 (3) (G)	PHT08-04 (3) (G)
PHT04-02 (3) (G)	PHT10-01 (3) (G)
PHT06-01 (3) (G)	PHT10-02 (3) (G)
PHT06-02 (3) (G)	PHT10-03 (3) (G)
PHT06-03 (3) (G)	PHT10-04 (3) (G)
PHT08-01 (3) (G)	PHT12-02 (3) (G)
PHT08-02 (3) (G)	PHT12-03 (3) (G)
PHT08-03 (3) (G)	PHT12-04 (3) (G)

PXJ Plug-in Double Y

Model (ΦD)	
Tube Dia(mm)	
PXJ04-04	PXJ10-04
PXJ06-04	PXJ10-06
PXJ08-04	PXJ10-08
PXJ08-06	
PXJ08-08	

PGJ Plug-in Reducer

Model (ΦD)	
Tube Dia(mm)	
PGJ06-04	PGJ12-06
PGJ08-04	PGJ12-08
PGJ08-06	PGJ12-10
PGJ10-06	
PGJ10-08	

PYJ Plug-in Y

Model (ΦD)	
Tube Dia(mm)	
PYJ04	PYJ06-04
PYJ06	PYJ08-06
PYJ08	PYJ10-08
PYJ10	PYJ12-10
PYJ12	

PDJ Plug-in Run Tee

Model (ΦD)	
Tube Dia(mm)	
PDJ04	PDJ06-04
PDJ06	PDJ08-06
PDJ08	PDJ10-08
PDJ10	PDJ12-10
PDJ12	

PBJ Plug-in Tee

Model (ΦD)	
Tube Dia(mm)	
PBJ04	PBJ06-04
PBJ06	PBJ08-06
PBJ08	PBJ10-08
PBJ10	PBJ12-10
PBJ12	

PLJ Plug-in Elbow

Model (ΦD)	
Tube Dia(mm)	
PLJ04	PLJ06-04
PLJ06	PLJ08-06
PLJ08	PLJ10-08
PLJ10	PLJ12-10
PLJ12	

PKJ Plug-in Triple

Model (ΦD)	
Tube Dia(mm)	
PKJ04	PKJ06-04
PKJ06	PKJ08-04
PKJ08	PKJ08-06
PKJ10	PKJ10-06
	PKJ10-08

PGT Double Banjo

Model (ΦD)	
Tube Dia(mm) - Thread Size (R)/(G)	
PGT04-01 (G)	
PGT06-01 (G)	
PGT06-02 (G)	
PGT08-01 (G)	
PGT08-02 (G)	
PGT10-02 (G)	

*G: G thread with O-ring fittings.

Speed Controller

SC-(G) Male Elbow

Model (ΦD-T)			
Tube Dia(mm) - Thread Size (R)/(G)		Tube Dia(inch) - Thread Size (NPT)	
SC04-M5 (B)	SC08-04 (B) (G)	SC5/32-U10 (B)	SC5/16-N02 (B)
SC04-01 (B) (G)	SC10-01 (B) (G)	SC5/32-N01 (B)	SC5/16-N03 (B)
SC04-02 (B) (G)	SC10-02 (B) (G)	SC3/16-U10 (B)	SC5/16-N04 (B)
SC06-M5 (B)	SC10-03 (B) (G)	SC3/16-N01 (B)	SC3/8-N01 (B)
SC06-01 (B) (G)	SC10-04 (B) (G)	SC3/16-N02 (B)	SC3/8-N02 (B)
SC06-02 (B) (G)	SC12-01 (B) (G)	SC1/4-U10 (B)	SC3/8-N03 (B)
SC06-03 (B) (G)	SC12-02 (B) (G)	SC1/4-N01 (B)	SC3/8-N04 (B)
SC06-04 (B) (G)	SC12-03 (B) (G)	SC1/4-N02 (B)	SC1/2-N02 (B)
SC08-01 (B) (G)	SC12-04 (B) (G)	SC1/4-N03 (B)	SC1/2-N03 (B)
SC08-02 (B) (G)		SC1/4-N04 (B)	SC1/2-N04 (B)
SC08-03 (B) (G)		SC5/16-N01 (B)	

SS-(G) Rotatable Body

Model (ΦD-T)		
Tube Dia(mm) - Thread Size (R)/(G)	Tube Dia(inch)	
SS04-01 (B) (G)	SS1/4-N01 (B)	
SS04-02 (B) (G)	SS1/4-N02 (B)	
SS06-01 (B) (G)	SS5/16-N01 (B)	
SS06-02 (B) (G)	SS5/16-N02 (B)	
SS08-01 (B) (G)	SS3/8-N02 (B)	
SS08-02 (B) (G)	SS3/8-N03 (B)	
SS10-02 (B) (G)	SS1/2-N02 (B)	
SS10-03 (B) (G)	SS1/2-N03 (B)	
SS12-02 (B) (G)		
SS12-03 (B) (G)		

SU Rotatable Body

Model (ΦD)	
Tube Dia(mm)	Tube Dia(inch)
SU04	SU5/32
SU06	SU3/16
SU08	SU1/4
SU10	SU5/16
SU12	SU3/8
	SU1/2

SCA-(G) Slot-head Flow Controller

Model (ΦD-T)		
Tube Dia(mm) - Thread Size (R)/(G)		
SCA04-M5 (B)	SCA08-01 (B) (G)	SCA12-01 (B) (G)
SCA04-01 (B) (G)	SCA08-02 (B) (G)	SCA12-02 (B) (G)
SCA06-M5 (B)	SCA08-03 (B) (G)	SCA12-03 (B) (G)
SCA06-01 (B) (G)	SCA10-01 (B) (G)	
SCA06-02 (B) (G)	SCA10-02 (B) (G)	
SCA06-03 (B) (G)	SCA10-03 (B) (G)	

Manual Valve

HVFF Tube type

Model (ΦD)	
Tube Dia(mm) - Tube Dia(mm)	
HVFF06-06 (B)	
HVFF08-06 (B)	
HVFF08-08 (B)	
HVFF10-08 (B)	
HVFF10-10 (B)	
HVFF12-10 (B)	
HVFF12-12 (B)	

HVSS-(G) Thread type

Model (ΦD-T)	
Tube Dia(mm) - Thread Size (R)/(G)	
HVSS01-01 (B) (G)	
HVSS02-01 (B) (G)	
HVSS02-02 (B) (G)	
HVSS03-02 (B) (G)	
HVSS04-03 (B) (G)	
HVSS04-04 (B) (G)	

HVSF-(G) From thread to tube end

Model (ΦT-D)		
Thread Size (R)/(G) - Tube Dia(mm)		
HVSF01 (G)-06 (B)	HVSF04 (G)-10 (B)	
HVSF02 (G)-06 (B)	HVSF02 (G)-12 (B)	
HVSF03 (G)-06 (B)	HVSF03 (G)-12 (B)	
HVSF01 (G)-08 (B)	HVSF04 (G)-12 (B)	
HVSF02 (G)-08 (B)		
HVSF03 (G)-08 (B)		
HVSF02 (G)-10 (B)		
HVSF03 (G)-10 (B)		

HVFS-(G) From tube to thread end

Model (ΦD-T)		
Tube Dia(mm) - Thread Size (R)/(G)		
HVFS06-01 (B) (G)	HVFS10-04 (B) (G)	
HVFS06-02 (B) (G)	HVFS12-02 (B) (G)	
HVFS06-03 (B) (G)	HVFS12-03 (B) (G)	
HVFS08-01 (B) (G)	HVFS12-04 (B) (G)	
HVFS08-02 (B) (G)		
HVFS08-03 (B) (G)		
HVFS10-02 (B) (G)		
HVFS10-03 (B) (G)		

BVU Ball Valve

Model (ΦD)	
Tube Dia(mm)	
BVU06	BVU08-06
BVU08	BVU12-10
BVU10	
BVU12	

BVC-(G) Ball Valve

Model (ΦD-T)		
Tube Dia(mm) - Thread Size (R)/(G)		
BVC06-01 (G)	BVC08-02 (G)	BVC10-04 (G)
BVC06-02 (G)	BVC08-03 (G)	BVC12-02 (G)
BVC06-03 (G)	BVC10-02 (G)	BVC12-03 (G)
BVC08-01 (G)	BVC10-03 (G)	BVC12-04 (G)

*G: G thread with O-ring fittings.

Metal Push-In Tube Fitting

CN	
	Model
	CN8×5
	CN10×6.5
	CN12×8

CM	
	Model
	CM02
	CM03
	CM04

HN	
	Model
	HN8×5
	HN10×6.5
	HN12×8

HM	
	Model
	HM02
	HM03
	HM04

CH	
	Model
	CH8×5
	CH10×6.5
	CH12×8

CF	
	Model
	CF02
	CF03
	CF04

HH	
	Model
	HH8×5
	HH10×6.5
	HH12×8

HF	
	Model
	HF02
	HF03
	HF04